Rust Resistance Steel Pipe Fittings P91 90 Degree Big Elbow Pipe 660×20

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1ton
- Price: negotiated sale

China HYZONT

CCC

P91

- Payment Terms: L/C, D/A, D/P, T/T
- Supply Ability: 5000Ton/month



Product Specification

Highlight:

Rust Resistance Steel Pipe Fittings, 90 Degree Big Elbow Pipe, Rust Resistance Big Elbow Pipe

Product Description

A big elbow pipe refers to a large-sized pipe fitting that is designed with an elbow shape. Elbow pipes are commonly used in plumbing, industrial, and construction applications to redirect the flow of fluids, gases, or other materials in a piping system. A big elbow pipe typically has a larger diameter compared to standard elbow pipes, allowing it to accommodate higher flow rates or handle larger volumes of substances. These pipes are often utilized in industrial settings where significant quantities of fluids or materials need to be transported efficiently.

Products		steel pipe fittings,ansi carbon steel pipe fittings,carbon steel pipe fitting
Size		Seamless (SMLS) fittings: 1/2"-24", DN15-DN600.
		Butt Welded fittings (seam) 24"-72", DN600-DN1800.
		We also accept customized type
Туре		1/2"-72"
		DN15-DN1800
Thickness		SCH10, SCH20, SCH30, STD SCH40, SCH60, XS, SCH80, SCH100, SCH120, SCH140, SCH160, XXS.
Standard		ASME B16.9, ASTM A234, ASTM A420, ANSI B16.9/B16.25/B16.28; MSS SP-75
		DIN2605-1/2615/2616/2617;
		JIS B2311 ,2312,2313;
		EN 10253-1 ,EN 10253-2, etc
		we can also produce according to drawing and standards providedby customers.
Material	ASTM	Carbon steel (ASTM A234WPB, A234WPC, and A420WPL6.)
		Stainless steel(ASTM A403 WP304,304L,316,316L,321. 1Cr18Ni9Ti, 00 Cr19Ni10, 00Cr17Ni14Mo2, ect.)
		Alloy Steel: A234WP12, A234WP11, A234WP22, A234WP5,A420WPL6, A420WPL3.
	DIN	Carbon steel:St37.0,St35.8,St45.8;
		Stainless steel:1.4301,1.4306,1.4401,1.4571;
		Alloy steel:1.7335,1.7380,1.0488(1.0566);
	JIS	Carbon steel:PG370,PT410;
		Stainless steel:SUS304,SUS304L,SUS316,SUS316L,SUS321;
		Alloy steel:PA22,PA23,PA24,PA25,PL380;
	GB	10#,20#,20G,23g,20R,Q235,16Mn, 16MnR,1Cr5Mo, 12CrMo, 12CrMoG, 12Cr1Mo.
Surface		Transparent oil, rust-proof black oil or hot galvanized.
Applications		Petroleum, chemical, machinery, boiler, electric power, shipbuilding, construction, etc
Warranty		We guarantee 1 year product quality

Delivery time	7 after receipt of advanced payment ,Common size large quantity in stock			
Payment term	T/T, L/C, D/P			
Hyzont (Shanghai) Industrial Technologies Co.,Ltd				
	+86-15021164313 raymond@hyzont.com powerplantmachine.com			
Room No.809-811 block No.1, Lane No.99 , Shenmei Road, Pudong New District, Shanghai, China.				