



## Carbon Steel Boiler Seamless Steel Pipe ASTM A283 T91 P91 P22 A355 P9 P11 42CrMo 15CrMo

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: HYZONT
- Model Number: P91
- Minimum Order Quantity: 1 ton
- Price: negotiated sale
- Payment Terms: L/C, D/A, D/P, T/T
- Supply Ability: 5000Ton/month



#### Product Specification

- Highlight: **Boiler Seamless Steel Pipe ASTM A283 ,  
42CrMo Boiler Seamless Steel Pipe ,  
Carbon Steel Pipe A355**

## Product Description

<b>Standard</b>	API, ASTM, BS, DIN, GB, JIS
<b>Outside Diameter</b>	21.3-1420mm
<b>Wall Thickness</b>	2.11-300mm
<b>Dia Tolerance</b>	Control with in the standard, OD:+-1%, WT:+-10%
<b>Materials</b>	10#,20#,45#,Q235,Q345,Q195,Q215,Q345C,Q345A
	ASTM A53A/A53B/ A178C/A106B API5L
	ST37,ST37-2,DIN 1629 ST35, ST45,DIN 17175 ST35.8,DIN 17175 19Mn5
	16Mn,Q345B,T1,T2,T5,T9,T11,T12,T22,T91,T92,P1,P2,P5,P9,P11,P12,P22,P91,P92,15CrMO,Cr5Mo,10CrMo910,12CrMo,13CrMo44,30CrMo,A333 GR.1,GR.3,GR.6,GR.7
	Gr.B,X42,X46,X52,X60,X65,X70,X80,X100
<b>Inspection</b>	ISO,BV,SGS,MTC
<b>Packing</b>	Steel strip packed. Standard Export Seaworthy Package.Suit for all kinds of transport,or as required
<b>Application</b>	Widely used in Structure, Accessorize,Construction,Fluid transportation, machinery parts,the stress parts of the automobile tractor parts and so on
<b>Shipment time</b>	Within 7-10 workdays after receiving deposit or L/C

## Product Display



## Product Details

Details of carbon steel seamless pipe:	
material grade	
High Temperature Seamless Pipe	ASTM A106 Gr. B/C, API 5L Gr. B, ASTM A53 Gr. B
Heat Exchanger Seamless Tube	ASTM A179
Low Temperature Seamless Pipe	ASTM A333 Gr. 3/6
Low Temperature Seamless Tube	ASTM A334 Gr. 6
High Yield Seamless Pipe	API 5L Gr. X42/X46/X52/X56/X60/X65/X70/X80 PSL-1/PSL-2
High Yield Seamless Pipe	ISO 3183 Gr.L245, L290, L320, L360, L390, L415, L450, L485
Atmospheric & Low Temp EFW Pipes	ASTM A671 Gr. CC60/CC65/CC70
High Pressure & Moderate Temp EFW Pipes	ASTM A672 Gr. B60/B65/B70/C55/C60/C65/C70
High Yield ERW/SAW Pipe	API 5L Gr. X42/X46/X52/X56/X60/X65/X70/X80 PSL-1/PSL-2
High Yield ERW/SAW Pipe	ISO 3183 Gr.L245, L290, L320, L360, L390, L415, L450, L485

Additional Testing : NACE MR0175, NACE TM0177, NACE TM0284, HIC TEST, SSC TEST, H2 SERVICE, IBR, etc.  
Dimensions : All Pipe is manufactured and inspected/tested to the relevant standards including ASTM, ASME, API.

### Carbon steel pipe astm specifications Chemical Composition

--

### Carbon steel pipe astm specifications Mechanical Properties

Grade	Rm Mpa Tensile Strength	Mpa Yield Point	Elongation	Delivery Condition
A	≥330	≥205	20	Annealed
B	≥415	≥240	20	Annealed
C	≥485	≥275	20	Annealed

## Product Process

--

Product Application

---

---

Packing And Shipping

---

---

<b>Packing</b>	Waterproof paper, and steel strip packed. Standard export seaworthy package. Suit for all kinds of transport, or as required
<b>Shipping</b>	1. Shipping by containers
	2. Shipping by bulk ship
<b>The packaging method can be customized according to customer requirements</b>	

---



+86-15021164313



raymond@hyzont.com



powerplantmachine.com

Room No.809-811 block No.1, Lane No.99 , Shenmei Road, Pudong New District, Shanghai, China.