## A234 WP22 15 Degree Pipe Elbow Seamless Elbow 3-80mm Thickness

## **Basic Information**

Place of Origin: China
Brand Name: HYZONT
Certification: API

Model Number: A234 WP22 15°Seamless elbow

• Minimum Order Quantity: 1ton

Price: negotiated sale
 Payment Terms: L/C, D/A, D/P, T/T
 Supply Ability: 5000Ton/month



## **Product Specification**

Certification: API, CE, BSI, ISO9001-2000, ISO-9001

• Grade: API J55, A53(A, B), 16Mn, 20#

Alloy Or Not: API, CE, BSI, ISO9001-2000, ISO-9001
 Application: Structure Pipe, Oil Pipe, Gas Pipe, Bridge,

Drill Pipe

• Highlight: WP22 15 Degree Pipe Elbow,

80mm Seamless Elbow, 15 Degree Pipe Elbow 80mm

## Product Description

A234 WP22 15°Seamless elbow





Brand Name	Yatong
Application	Fluid Pipe, Boiler Pipe, Drill Pipe, Hydraulic Pipe, Gas Pipe, OIL PIPE, Chemical Fertilizer Pipe, Structure Pipe
Alloy Or Not	Is Alloy
Section Shape	Round
	15mm - 150mm
Special Pipe	API Pipe, Other, Thick Wall Pipe
Thickness	3-80mm
Standard	GB ASTM JIS DIN
Length	12M, 6m, 6.4M
Grade	10# 20# 1020 16Mn S45C, s355jr, 42CrMo
Surface Treatment	Hot Rolled
Tolerance	±1%
Processing Service	Punching, Cutting, Bending
Oiled or Non- oiled	Non-oiled
Invoicing	by theoretical weight
Delivery Time	8-14 days
Material	Q235/Q235B/Q345/Q345B/Q195/St37/St42/St37-2/St35.4/St52.4/St35
Packing	Standard Seaworthy Packing

