



Stainless Steel 304/316/321 A234wpb Butt Welded Reducer 10-20mm Thickness

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: HYZONT
- Certification: ASTM
- Model Number: 304/316L
- Minimum Order Quantity: 1 ton
- Price: Negotiable
- Packaging Details: Naked Packing
- Delivery Time: 5-7 days
- Payment Terms: L/C, D/P, D/A, T/T
- Supply Ability: 5000ton



Product Specification

- Steel Grade 12Cr1MoVG: 304/316L
- Application: Thermal Boiler Pipeing
- Thickness Of Pipe: 10-20mm
- OD: 1/2"-20"
- Highlight: **A234wpb Butt Welded Reducer, 20mm Thickness Butt Welded Reducer, Stainless Steel Welded Reducer 10mm**



Product Description

Stainless Steel 304/316/321 A234wpb Butt Welded Reducer

Product Description

Size	1/2"---72"
Wall thickness	Sch10-Sch160
Standard	ANSI B16.9,MSS SP 43, DIN2615, EN10253, GOST17376, JIS B2313, MSS SP 75, etc.
Material	ASTM A234,SS304/L,SS316/L,SS321/H,ASTM WP5,WP9,WP11, A420WPL6 St37,St45, E24, A42CP, 16Mn, Q345, P245GH, P235GH, P265GH, P280GH,P295GH,P355GH and etc.
Surface	Black painting, varnish paint, anti rust oil, hot galvanized, cold galvanized, 3PE...
Price Term	FOB, CIF, CFR
Payment	T/T 30% in advance, the balance before shipment;100% LC
Packing	Plastic film,wooden cases, wooden pallet
Delivery	20-30 days, after received advance payment.
Application	Petrochemical industry;aviation and aerospace industry;pharmaceutical industry; gas exhaust; power plant; shipbuilding;water treatment,etc.

Product Parameters

Stainless Steel 304/316/321 A234wpb Butt Welded Reducer

Concentric Reducer:				
Dimension (mm)				
Nominal Diameter		Outside Diameter		End to End
		D1*D2		
DN	NPS	Series A	Series B	H
20×15	3/4×1/2	26.9×21.3	25×18	38
20×10	3/4×3/8	26.9×17.3	25×14	38
25×20	1×3/4	33.7×26.9	32×25	51
25×15	1×1/2	33.7×21.3	32×18	51
32×25	1.1/4×1	42.4×33.7	38×32	51
32×20	1.1/4×3/4	42.4×26.9	38×25	51
32×15	1.1/4×1/2	42.4×21.3	38×18	51
40×32	1.1/2×1.1/4	48.3×42.4	45×38	64
40×25	1.1/2×1	48.3×33.7	45×32	64
40×20	1.1/2×3/4	48.3×26.9	45×25	64
40×15	1.1/2×1/2	48.3×21.3	45×18	64
50×40	2×1.1/2	60.3×48.3	57×45	76
50×32	2×1.1/4	60.3×42.4	57×38	76
50×25	2×1	60.3×33.7	57×32	76
50×20	2×3/4	60.3×26.9	57×25	76
65×50	2.1/2×2	73.0×60.3	76×57	89
65×40	2.1/2×1.1/2	73.0×48.3	76×45	89
65×32	2.1/2×1.1/4	73.0×42.4	76×38	89
65×25	2.1/2×1	73.0×33.7	76×32	89
80×65	3×2.1/2	88.9×73.0	89×76	89
80×50	3×2	88.9×60.3	89×57	89
80×40	3×1.1/2	88.9×48.3	89×45	89

Stainless Steel 304/316/321 A234wpb Butt Welded Reducer

NOM INAL PIPE SIZE	ALL FITTINGS	ALL FITTINGS	ALL FITTINGS	ELBOWS AND TEES	180 DEG RETURN BENDS	180 DEG RETURN BENDS	180 DEG RETURN BENDS	RE DUCE RS	CA PS
NPS	O.D. at Bevel (1), (2)	I.D. at End (1), (3), (4)	Wall Thickness (3)	Centre- to-End Dimension A,B,C,M	Centre -to- Centre O	Back- to- Face K	Align ment of Ends U	Ove rral Len gth H	Ove rral Len gth E
½ to 2½	0.06 -0.03	0.0 3	Not less than 87.5% of nominal thickness	0.06	0.25	0.25	0.03	0.06	0.12
3 to 3 ½	0.06	0.0 6		0.06	0.25	0.25	0.03	0.06	0.12
4	0.06	0.0 6		0.06	0.25	0.25	0.03	0.06	0.12
5 to 8	0.09 -0.06	0.0 6		0.06	0.25	0.25	0.03	0.06	0.25
10 to 18	0.16 -0.12	0.1 2		0.09	0.38	0.25	0.06	0.09	0.25
20 to 24	0.25 -0.19	0.1 9		0.09	0.38	0.25	0.06	0.09	0.25
26 to 30	0.25 -0.19	0.1 9		0.12	...	...	...	0.19	0.38
32 to 48	0.25 -0.19	0.1 9		0.19	...	...	...	0.19	0.38

Hyzont Hyzont (Shanghai) Industrial Technologies Co.,Ltd..



+86-15021164313



raymond@hyzont.com



powerplantmachine.com

Room No.809-811 block No.1, Lane No.99 , Shenmei Road, Pudong New District, Shanghai, China.